

# Journal of Applied Environmental and Biological Sciences (JAEBS)



**An International Peer-reviewed journal**

Number of issues per year: 12

ISSN (Print): 2090-4274

ISSN (Online): 2090-4215

[Home](#)[Journals](#)[Contact Us](#)

# TEXTROAD JOURNALS

## Journal of Applied Environmental and Biological Sciences



*J. Appl. Environ. Biol. Sci.*, Vol.8 No. 4: pp. 1-142, Year 2018

### Journal of Applied Environmental and Biological Sciences (JAEBS)

Monthly Publication



Number of issues per year: 12

ISSN: 2090-4274 (Print)

ISSN: 2090-4215 (Online)

**Journal of Applied Environmental and Biological Sciences (JAEBS)** is a peer reviewed, open access international scientific journal dedicated for rapid publication of high quality original research articles as well as review articles in the all areas of Applied Environmental and Biological Sciences.

#### Scope

**Journal of Applied Environmental and Biological Sciences (JAEBS)** is devoted to the monthly publication of research papers of outstanding significance in the all fields of environmental sciences, environmental engineering, environmental Pollution, green chemistry, environmentally friendly synthetic pathways, alternatively fuels, environmental analytical chemistry, biomolecular tools and tracers, water and soil, environmental [management, economics, humanities], Mathematics, multidisciplinary aspects such as Business Management, Organizational Behavior, all areas of biological sciences, including cell biology, developmental biology, structural biology, microbiology, molecular biology & genetics, biochemistry, biotechnology, biodiversity, ecology, marine biology, plant biology, bioinformatics, toxicology, developmental biology, structural biology, microbiology, molecular biology & genetics, biotechnology, biodiversity and related fields. The journal presents the latest developments in the fields of environmental social marketing, environmental journalism, environmental education, sustainability education, environmental interpretation, and environmental health communication.

# Editorial Board

## Editor -in-Chief

**William Ebomoyi**

Ph.D., Professor, Department of Health Studies, College of Health Sciences, Chicago State University, **USA**.

E-mail: [editor@textroad.com](mailto:editor@textroad.com)

## Associate Editors

**Prof. Dr. Sanaa T. El-Sayed**

Ex Head of Biochemistry Department, Professor of Biochemistry, Genetic Engineering & Biotechnology Division, National Research Centre, **Egypt**

**Saeid Chekani Azar**

PhD of Veterinary Physiology; Faculty of Veterinary, Department of Physiology, Ataturk University, Erzurum 25010, **Turkey**.

**Prof. Dr. Sarwoko Mangkoedihardjo**

Professor, Professional Engineer of Indonesian Society of Sanitary and Environmental Engineers, **Indonesia**

**Prof. Dr. Ashraf Latif Tadross**

Head of Astronomy Department, Professor of Star Clusters and Galactic Structure, National Research Institute of Astronomy & Geophysics (NRIAG), 11421 Helwan, Cairo, **Egypt**.

**Dr. Chandrasekar Raman**

Research Associate, Department of Biochemistry & Molecular Biophysics, Biotechnology Core Facility, 238, Burt Hall, Kansas State University, Manhattan 66506, KS, **USA**.

**Dr. YUBAO CUI**

Associate Professor, Department of Laboratory Medicine, Yancheng Health Vocational & Technical College, Jiangsu Province, P. R. **China**

**Dr. Muhammad Altaf Khan**

Department of Mathematics, Abdul Wali Khan University Mardan **Pakistan**

**Dr. Fahrettin Tilki**

Assoc. Professor, Artvin Coruh University, Faculty of Forestry, Department of Forest Science, Artvin, **TURKEY**.

**Dr. Ibtisam abd el ghany hammad**

Associate Professor of Genetics, Faculty of Science, Helwan University. **Egypt**.

**Dr. Charalambos Tsekeris**

Department of Psychology, Panteion University of Social and Political Sciences, Athens, **Greece**.

**Dr. Elsayed E. Hafez**

Associate Professor, Molecular Biology, Plant Molecular Pathology & Arid Lands Institute, **Egypt**.

**Dr. Naushad Mamode Khan**

University of Mauritius, Reduit, **Mauritius**.

**Mirza Hasanuzzaman**

Department of Agronomy, Faculty of Agriculture, Sher-e-Bangla Agricultural University, Dhaka-1207, **Bangladesh**.

**Dr. Hala Ahmed Hafez Kandil**

Professor Researcher, National Research Centre, Plant Nutrition Dept. El-Bhouth St. Dokki, Giza, **Egypt**.

**Dr. Yule Yue Wang**

Biotechnology and Medicinal Biochemistry, Division of Life Science, The Hong Kong University of Science & Technology, **Hong Kong**.

**Dr. Aziza Sharaby**

Professor of Entomology. Plant Protection Department, National Research Center. Cairo, **Egypt**.

**Dr. Sulaiman**

Assistant Professor, Department of Biochemistry, Abdul wali Khan University Mardan, Khyber Pakhtunkhwa, **Pakistan**.

## **Editors**

### **Maulin P Shah**

PhD-Microbiology, Chief Scientist & Head Industrial Waste Water Research Laboratory, Division of Applied & Environmental Microbiology, Enviro Technology Limited, Ankleshwar-393002, Gujarat, **India**

### **Dr. Josphert N. Kimatu**

Department of Biological Sciences. South Eastern University College, **Kenya**.

### **Dr. Mukesh Kumar Meena**

Assistant Professor (Crop Physiology), Department of Crop Physiology, University of Agricultural Sciences, Raichur-584104, Karnataka , **India**

### **Jehngir Khan**

Lecturer in Zoology Department, Abdul Wali Khan University Mardan (AWKUM), Buner Campus, Buner, Khyber Pakhtunkhwa, **Pakistan**.

### **Syed Muhammad Nurulain**

Medical Research Specialist, FMHS, UAE University, **Emirates**

### **Dr. Ayman Batisha**

Environment and Climate Research Institute, National Water Research Center, Cairo, **Egypt**.

### **Dr. Hakeem Ullah**

Assistant Professor, Department of Mathematics Abdul Wali Khan University Mardan **Pakistan**.

### **DR. DATTA ASARAM DHALE**

Assistant Professor, Post Graduate Department of Botany, Ghogrey Science College, Dhule, Maharashtra State, **India**.

### **Dr. Muhammad Ismail Mohmand**

Tutor/Administrator in the Excellence Training Den College in Newcastle, **United Kingdom**

### **Prof. Dr. Valdenir José Belinelo**

Department of Health Sciences and Postgraduate Program in Tropical Agriculture, Federal University of Espirito Santo (UFES),  
São Mateus, ES, **Brazil**.

### **Siva Sankar. R**

Department of Ecology and Environmental Sciences, School of Life Sciences, Pondicherry University, **India**.

# Table of Contents, April 2018

---

Sazon, Rowena R. and Migo, Veronica P.

**Water Quality and Phytoplankton Density in Alinsaog River, Zambales, Central Luzon, Philippines: Implications on Its Land Use**

*J. Appl. Environ. Biol. Sci.* 2018 8(4): 1-12. [\[Abstract\]](#) [\[Full-Text PDF\]](#) [\[Full-Text XML\]](#)

---

Javed Khan and Hafiz Muhammad Inamullah

**Matching/Mismatching of Teaching and Learning Styles; and Its Effect on Students' Academic Achievement at Tertiary Level**

*J. Appl. Environ. Biol. Sci.* 2018 8(4): 13-21. [\[Abstract\]](#) [\[Full-Text PDF\]](#) [\[Full-Text XML\]](#)

---

Andreas Berny Yulianto, Dian Ayu Kartika Sari, Widya Paramita Lokapirnasari, Era Harimudji

**Blood Type Synchronization Using Dipstick Membrane in Domestic Cats (*Felis domestica*) on the Persian Cat (*Felis silvestris*) in Surabaya**

*J. Appl. Environ. Biol. Sci.* 2018 8(4): 22-26. [\[Abstract\]](#) [\[Full-Text PDF\]](#) [\[Full-Text XML\]](#)

---

Muhammd Akbar, Dr. M. Tahir Khalily

**Emotional Problems as Predictor of Emotions Related Outcomes among Adolescents of Central Punjab**

*J. Appl. Environ. Biol. Sci.* 2018 8(4): 27-32. [\[Abstract\]](#) [\[Full-Text PDF\]](#) [\[Full-Text XML\]](#)

---

Muhammad Umar Fayyaz, Amira Amjad, Fayyaz Ahmed Anjum

**Relationship between Emotional Intelligence and Performance among Cricketers in Pakistan**

*J. Appl. Environ. Biol. Sci.* 2018 8(4): 33-41. [\[Abstract\]](#) [\[Full-Text PDF\]](#) [\[Full-Text XML\]](#)

---

Nadjoua Zaghib Zouita, Mohamed Benyahia and Mohamed Ali Bouzidi

**Characterization of Mekerra River waters used in irrigation of farmland in Sidi Bel Abbes Country (West of Algeria)**

*J. Appl. Environ. Biol. Sci.* 2018 8(4): 42-46. [\[Abstract\]](#) [\[Full-Text PDF\]](#) [\[Full-Text XML\]](#)

---

Mujib ur Rahman, Syed Arshad Ali Shah, Dr Mohammad Daud Ali, Anwarul Mujahid Shah, Muhammad Abdual Haseeb

**The Role of Business Relational Capital in Development of Small Business Communities in Peshawar**

*J. Appl. Environ. Biol. Sci.* 2018 8(4): 47-56. [\[Abstract\]](#) [\[Full-Text PDF\]](#) [\[Full-Text XML\]](#)

---

Meh Para Siddique, Muhammad Tahir Khalily and Kehkashan Arouj

**Exploration of Currently Activated Schema Modes among Individuals with Above Average Intellectual Ability**

*J. Appl. Environ. Biol. Sci.* 2018 8(4): 57-66. [\[Abstract\]](#) [\[Full-Text PDF\]](#) [\[Full-Text XML\]](#)

---

Nauman Ahmed, Naveed Shahid, Zafar Iqbal, Muhammad Jawaz, M Rafiq, Tahira S. S., M. O. Ahmad

**Numerical Modeling of SEIQV Epidemic Model with Saturated Incidence Rate**

*J. Appl. Environ. Biol. Sci.* 2018 8(4): 67-82. [\[Abstract\]](#) [\[Full-Text PDF\]](#) [\[Full-Text XML\]](#)

---

Nian Afrian Nuari, Syiddatul Budury, Theresia Anita Pramesti

**Factor Influencing Resiliency of Efficacy Diabetes Mellitus Patients**

*J. Appl. Environ. Biol. Sci.* 2018 8(4): 83-87. [\[Abstract\]](#) [\[Full-Text PDF\]](#) [\[Full-Text XML\]](#)

---

Muhammad Imran Siddique, Dr. Babak Mahmood, Muhammad Shahzad Iqbal, Muhammad Tayyeb Riaz

**An Investigation of the Psychological and Institutional Factors Impeding Individuals Becoming Business Entrepreneurs: Evidence from Public Sector Universities of Province Punjab,.....**

*J. Appl. Environ. Biol. Sci.* 2018 8(4): 88-94. [\[Abstract\]](#) [\[Full-Text PDF\]](#) [\[Full-Text XML\]](#)

---

Muhammad Nisar Khan, Arshad Alam, Syed Arshad Ali Shah, Muhammad Ilyas, Mohammad Daud Ali

**Credit Risk, Liquidity Risk and Stock Return, (Evidence from Pakistan Stock Exchange)**

*J. Appl. Environ. Biol. Sci.* 2018 8(4): 95-102. [\[Abstract\]](#) [\[Full-Text PDF\]](#) [\[Full-Text XML\]](#)

---

Mohammad Ishaq Javed, Asghar Ali, Nasir Nadeem, Amna Gulzar, Shoaib Kamran

**Impact of Agricultural Research on Economic Development in Punjab, Pakistan**

*J. Appl. Environ. Biol. Sci.* 2018 8(4): 103-108. [\[Abstract\]](#) [\[Full-Text PDF\]](#) [\[Full-Text XML\]](#)

---

Mochammad Qomaruddin; Sudarno

**Influence of Bottom-Ash Mixed with Gypsum as Concrete Bricks for Wall Construction Material**

*J. Appl. Environ. Biol. Sci.* 2018 8(4): 109-114. [\[Abstract\]](#) [\[Full-Text PDF\]](#) [\[Full-Text XML\]](#)

---

Irfan Hussain Khan, Prof Dr. Sofia Anwar, Saima Alyas, Amber Javaid

**Relationship between Health Expenditure and GDP in an Augmented Solow Growth Model for Pakistan: A Multivariate Analysis of Short and Long Run**

*J. Appl. Environ. Biol. Sci.* 2018 8(4): 115-124. [\[Abstract\]](#) [\[Full-Text PDF\]](#) [\[Full-Text XML\]](#)

---

Mubeena Pathan, Barkatullah Qureshi, Pinial Khan Butt and Ghulam Mujtaba

**Peak Detection Image Processing Algorithm for Qualitative Analysis of Oil Palm Trees**

*J. Appl. Environ. Biol. Sci.* 2018 8(4): 125-135. [\[Abstract\]](#) [\[Full-Text PDF\]](#) [\[Full-Text XML\]](#)

---

Syed Arshad Ali Shah, Muhammad Nisar Khan, Ikram Ullah, Muhammad Taimur Khan, Mohammad Daud Ali

**Pakistan Stock Exchange and Its Relationship with Emerging Countries Stock Markets**

*J. Appl. Environ. Biol. Sci.* 2018 8(4): 136-142. [\[Abstract\]](#) [\[Full-Text PDF\]](#) [\[Full-Text XML\]](#)

---



## Blood Type Synchronization Using Dipstick Membrane in Domestic Cats (*Felis domestica*) on the Persian Cat (*Felis silvestris*) in Surabaya

Andreas Berny Yulianto<sup>1</sup>, Dian Ayu Kartika Sari<sup>1</sup>, Widya Paramita Lokapirnasari<sup>2\*</sup>,  
Era Harimudji<sup>1</sup>

<sup>1</sup>Faculty of Veterinary Medicine, Wijaya Kusuma Surabaya University, Indonesia

<sup>2</sup>Faculty of Veterinary Medicine, Universitas Airlangga, Surabaya, Indonesia

Received: November 20, 2017

Accepted: February 13, 2018

### ABSTRACT

This research objective was to identify blood type polymorphism in domestic cats (*Felis domestica*) and Persian cats (*Felis silvestris*) using dipstick membrane and to know a blood cross match between domestic cats (*Felis domestica*) and Persian cats (*Felis silvestris*). A total of 10 male domestic cats, 10 female domestic cats, 10 male Persian cats and 10 female Persian cats were studied. The cats were clinically healthy, one year of age and blood was collected intravenously. The result of blood type test showed that a total of 60% female domestic cats had blood type A and 40% blood type B. A total of 70% male domestic cats had blood type A and 30% blood type B. A total of 70% male Persian cats had blood type A and 30% blood type B. A total of 60% female Persian cats had blood type A and 40% blood type B. The Cross match blood test between male domestic cats and male Persian cats revealed 50% match and 50% did not match, while between female domestic cats and female Persian cats, 70% match and 30% did not match.

**KEY WORDS:** Blood type, domestic cats, Persian cats

### INTRODUCTION

Anemia or a low number of red blood cells also occurs in cats due to several factors. Those factors are parasites; fleas (*Ctenocephalides felis*); worms (*Dipylidium caninum*, *Toxocaracati*); protozoa (*Haemobartonella felis*, *Cytauxzoon felis*); virus such as Feline Leukemia Virus (FeLV) and Feline Immune Mediated Virus (FIV); poisons such as eating paracetamol and chocolate; PKD (Polycystic Kidney Disease); trauma such as fractures, wide incision wound; medical action such as surgery and nutrient imbalance, such as, rarely, iron deficiency. For an anemic cat or that with a low number of red blood cells, blood transfusion is the right choice to replace the blood loss. However, there is no animal blood banks, especially for cats, blood donors, blood typing test kit in Indonesia and there is also the lack of human resources who know about the process of blood transfusion.

Before doing a blood transfusion, we need to see the blood matches between the donors and the recipient [1]. According to Wardrop [2], cross match blood test should be used before performing blood transfusions in cats, although they have a history of blood transfusion before, because rejection will occur naturally from the antibodies in cats and cause serious effects if blood type A transfusion is given to cats with blood type B.

Blood is a liquid which composed of two parts, the blood plasma and blood cells. Blood cells were made up of three types, erythrocytes, leukocytes, and platelets [3]. Blood flows and circulates through the vascular system. Blood carries a variety of necessities of life to all cells in the body and brought the results of metabolic waste to secrete on the excretion organ [4]. The main functions of blood in the circulatory system are as a transports medium, temperature regulator, and controlling liquid and bases balances. Blood volume of cats revolves between 4.7% - 9.65% of the cat's weight, and the factors that affect blood volume i.e. age, health status, diet, body size, activity, and the environment [5]. Erythrocytes (red blood cell) has the main functions to transport hemoglobine and to carries oxygen from lungs to the tissues [6]. Erythrocytes in domestic cats (*Felis domestica*) has biconcave disc-shape with diameter of 5.5 - 6.3 µm and they are in the circulation for around 120 days [4]. Total erythrocytes in cats is up to 7.3 million per mm<sup>3</sup> [5].

In blood transfusion, the first thing we need to do is to look for donors, then we perform the blood typing test. After the blood is available for transfusion, blood matching test is done between the blood of the donor and the recipient (cross matching blood test) to reduce and avoid the risk of allergic reaction and rejection in blood transfusions[2]. Not only in humans, cat also has blood type. There are three blood types in a cat, A, B, and AB. There is no relationship of serologic antigens A and antigens B with antigens ABO in humans [7].

Almost 95% of cats has blood type A, including those in the United States [8]. On the blood type test of 139 non-pedigree cats and 2017 pedigree cats, it was found that 87.15% of non-pedigree cats had blood type A, 7.9%

\*Corresponding Author: Widya Paramita Lokapirnasari, Faculty of Veterinary Medicine, Universitas Airlangga, Surabaya, Indonesia. email: widyaparamitalokapirnasari@gmail.com



blood type B and 0.55% blood type AB. While in pedigree cats, 54.6% had blood type A, 40.1% of blood type B, and 1.6% blood type AB [9]. Domestic cat's (*Felis domestica*) blood types from different countries indicate that the frequency of blood type A is more than B and AB [10,11].

Blood type antigen is characterized by specific proteins in erythrocytes membrane, i.e. NueGc-NueGc-Glucose-Galactose-Ceramide (NueGc as N-Glicolilneuraminic acid) as a major constituent of blood type A glycolipids (carried by gene A) and NueAc-NueAc-Glucose-Galactose-Ceramide as a constituent of blood type B (carried by gene B). Blood type AB is a form between blood type A and B [12,13].

The latest blood test on the cats and dogs using the technique of dipstick membrane (Alvedia®, Villeurbanne, France). The work principle, by mixture the monoclonal antibodies type A and B on the cat, which can be seen on the membrane that has been mixed by buffer and blood. In a positive reaction, the red blood cells will be agglutinated by the antibodies, causing the appearance of a line on the membrane [9].

The best treatment for anemia is blood transfusion. To conduct the blood transfusions, we need blood identification and cross blood categorization. This research aims was to identify blood type polymorphism in domestic cats (*Felis domestica*) and Persian cats (*Felis silvestris*) using dipstick membrane and whether each blood type has a blood cross match between domestic cats (*Felis domestica*) and Persian cats (*Felis silvestris*).

## MATERIALS AND METHODS

This was a descriptive study, in which the results were outlined in theory based on the results of the identification of blood type and cross-match between the blood of domestic cats (*Felis domestica*) and that of Persian cats (*Felis silvestris*).

### Blood Type Test

To identify the blood type, used the quick test blood typing from Alvedia (Alice Veterinary Diagnostic). The cat name was written on the label of the quick test, then three drops of buffer was added on the holes provided on the package of the quick test. The blood collector strip was dipped into the tube containing blood, and then to the hole containing the buffer. It was stirred evenly, then the membrane was placed into the hole, moved and stood until the blood suspension meet the membrane. The line of control became visible, and then the membrane was lifted to reveal the results of the blood test.

### The Cross Match Blood Test

Blood sample as much as 2 ml, which remained in blood collection tube with EDTA (ethylenediamine tetraacetic acid), was subsequently used for cross match blood tests. The tube was put into the centrifuge machine, then it was centrifuged for 1 minute at 3000 rpm. Then, the blood plasma was taken and suspended in 2% red blood cells by mixing 0.1 ml red blood cells and 5 ml 0.9% solution. The suspension was subsequently mixed by centrifugation in 1 minute and the supernatant was removed. It was resuspended in 5 ml of 0.9% saline solution, then centrifuged again and repeated three times.

Major cross match was done as follows: two drops of Persian cat's (*Felis silvestris*) plasma and two drops of red blood cells of the domestic cats (*Felis domestica*) were put on the tube. They were mixed with the whisk with the number of 8, and then incubated in room temperature for 30 minutes.

Minor cross match was as follows: Two drops of red blood cells of Persian cats (*Felis silvestris*) and two drops of domestic cats (*Felis domestica*) plasma was put in another tube. Mixed with the whisk with the number of 8, and then incubated in room temperature for 30 minutes.

For the first control, two drops of Persian cat (*Felis silvestris*) plasma and two drops of red blood cells of domestic cats (*Felis domestica*) were placed in the tube, and two drops of red blood cells of Persian cats (*Felis silvestris*) and two drops of domestic cats plasma (*Felis domestica*) put in another tube, were centrifuged for one minute at 300 rpm.

For the second control, two drops of Persian cat (*Felis silvestris*) plasma and two drops of domestic cats (*Felis domestica*) whole blood were put into the tube, and two drops of Persian cat (*Felis silvestris*) whole blood and two drops of the domestic cats (*Felis domestica*) plasma were put in another tube, then being centrifuged for one minute at 300 rpm. Then, the agglutination and hemolysis were checked by putting a drop of blood on the object glass, then the examination under a microscope was carried out.

## RESULTS

### Blood type test

The results of blood type test to 10 female-domestic-cats, 10 male-domestic-cat, 10 male-Persian-cats, 10 female-Persian-cats were shown in Table 1.

**Table 1. Blood type test of male and female domestic-cats**

| No | Sample            | Blood type | No | Sample              | Blood type |
|----|-------------------|------------|----|---------------------|------------|
| 1  | Male-domestic-cat | A          | 1  | Female-domestic-cat | A          |
| 2  |                   | A          | 2  |                     | A          |
| 3  |                   | B          | 3  |                     | A          |
| 4  |                   | A          | 4  |                     | B          |
| 5  |                   | A          | 5  |                     | A          |
| 6  |                   | B          | 6  |                     | A          |
| 7  |                   | A          | 7  |                     | A          |
| 8  |                   | A          | 8  |                     | B          |
| 9  |                   | B          | 9  |                     | A          |
| 10 |                   | B          | 10 |                     | B          |

The results of Blood Type Test of 10 male-Persian-cats and 10 female-Persian-cats were shown in Table 2.

**Table 2. Blood type test of female and male Persian cats**

| No | Sample            | Blood type | No | Sample              | Blood type |
|----|-------------------|------------|----|---------------------|------------|
| 1  | Male-domestic-cat | B          | 1  | Female-domestic-cat | A          |
| 2  |                   | B          | 2  |                     | A          |
| 3  |                   | A          | 3  |                     | A          |
| 4  |                   | A          | 4  |                     | B          |
| 5  |                   | A          | 5  |                     | B          |
| 6  |                   | A          | 6  |                     | A          |
| 7  |                   | A          | 7  |                     | A          |
| 8  |                   | A          | 8  |                     | B          |
| 9  |                   | B          | 9  |                     | B          |
| 10 |                   | A          | 10 |                     | A          |

### Cross match blood test

The results of cross match blood test of male-domestic-cats and male-Persian-cats were shown in Table 3.

**Table 3. Cross match blood test of male-domestic-cats and male-Persian-cats**

| NO | Sample             | Blood type | NO | Sample            | Blood type | Cross match blood test result |
|----|--------------------|------------|----|-------------------|------------|-------------------------------|
| 1  | Male-domestic-cats | A          | 1  | Male-Persian-cats | B          | +                             |
| 2  |                    | A          | 2  |                   | B          | +                             |
| 3  |                    | B          | 3  |                   | A          | +                             |
| 4  |                    | A          | 4  |                   | A          | -                             |
| 5  |                    | A          | 5  |                   | A          | -                             |
| 6  |                    | B          | 6  |                   | A          | +                             |
| 7  |                    | A          | 7  |                   | A          | -                             |
| 8  |                    | A          | 8  |                   | A          | -                             |
| 9  |                    | B          | 9  |                   | B          | -                             |
| 10 |                    | B          | 10 |                   | A          | +                             |

The results of cross match blood test of male-domestic-cats and male-Persian-cats were shown in Table 4.

**Table 4. Cross match blood test of female-domestic-cats and female-Persian-cats**

| No | Sample               | Blood type | No | Sample              | Blood type | Cross match blood test result |
|----|----------------------|------------|----|---------------------|------------|-------------------------------|
| 1  | Female-domestic-cats | A          | 1  | Female-Persian-cats | A          | -                             |
| 2  |                      | A          | 2  |                     | A          | -                             |
| 3  |                      | A          | 3  |                     | A          | -                             |
| 4  |                      | B          | 4  |                     | B          | -                             |
| 5  |                      | A          | 5  |                     | B          | +                             |
| 6  |                      | A          | 6  |                     | A          | -                             |
| 7  |                      | A          | 7  |                     | A          | -                             |
| 8  |                      | B          | 8  |                     | B          | -                             |
| 9  |                      | A          | 9  |                     | B          | +                             |
| 10 |                      | B          | 10 |                     | A          | +                             |

Description:

- = cross match blood test results, there were no reaction of agglutination and hemolysis

+ = cross-match blood test results, there were agglutination and hemolysis

## DISCUSSION

The formation of erythrocytes (erythropoiesis) is stimulated by the erythropoietin hormone, i.e. the glycoproteins, ninety percent were produced in interstitial cell of the peritubular renal and the other 10% in the liver. The formation of erythropoietin is stimulated by hypoxia or tissue state changes in atmospheric pressure, reduced arterial blood oxygen levels, and reduced Hb concentrations. Erythropoietin induced erythropoiesis by increasing progenitor cell which bound to the erythrocytes formation process.

Based on the results, there was a little difference in the results of the reaction, i.e. at the level of its agglutination. Degree of agglutination were seen from blood clots on the tube after shaking until blood deposition in a control tube dissolved perfectly.

Agglutination rate which in the results of the reaction is not related to genotype composition in its erythrocyte, but resulting from biological differences exist in each individual. Blood type antigen is characterized by specific proteins on the membrane of the erythrocytes i.e. NeuGc-NeuGc-Glucose-Galactose Ceramide (NeuGcsebagai N-Glycolilneuraminic acid) as a major constituent of blood type A glycolipids (carried by gene A) and NeuAc-NeuAc Glucose-Galactose-Ceramide as a constituent of blood type B (carried by gene B) [14,15].

Gene A more is dominant than gene B [14, 15,16]. Thus, cats with blood A could be either homozygous A (AA), or heterozygous A (AB), so that the protein in its erythrocyte was a combination of gene A and gene A or gene A and gene B. Cats that have blood type B, the genotype of the composition of blood type is only homozygous (BB).

Quick test of blood typing (dipstick membrane) is a mixture of monoclonal antibodies type A and B in cats that can be seen on the membrane that has been mixed by buffer and blood. Positive reaction of erythrocyte agglutination with secondary antibody appears on the dipstick membrane [2]. This is influenced by the level of sensitivity and superior specificity of monoclonal antibodies dipstick membrane itself.

The accuracy of a sensitivity assay tool to detect or diagnose a disease or condition depends on monoclonal antibody dipstick membrane that detects antigens from the tested blood. The specificity of the tools is the accuracy of the assay to detect negativeness or diagnose a disease and conditions. This monoclonal antibody belongs to antigens membrane that can bind only to specific dipstick from cats.

The interaction of antigen and antibody has two categories. The primary category is the beginning of the reaction and antibody-antigen binding at the molecular level. The second category leads to precipitation or agglutination. The degree of agglutination in the reaction outcome is not related to the composition of the genotypes contained in its erythrocyte. Different rate of agglutination is because of biological differences existing in each individual [17].

The frequency of blood type A is more dominant than the blood type B, while blood type AB is very rare. Domestic cats from various countries have also shown that the frequency of blood type A is more than blood type B and AB. Cat blood AB classification system has three different phenotypes. The phenotype of A and B inheriting Madeline allele simple genetic. The alleles 'a' is more dominant than allele 'b', thus all blood type B is homozygous alleles 'b' (genotype b/b), whereas cats with blood type A may have both homozygous alleles of 'a' (genotype a/a) and heterozygous allele (genotype a/b) [16, 17].

In this research, blood plasma of male and female local cats when given erythrocytes of male or female Persians with the same blood group A or B does not show agglutination and haemolysis, but when given erythrocytes from different blood groups A with B or B with A showed agglutination and haemolysis.

In cross-match blood test, if the precipitates dissolve again (hemolysis), result is stated as having negative reaction. If the precipitation dissolves into grains or not soluble at all, the reaction is expressed as positive agglutination reaction. Before the transfusion, the main reason for conducting cross match blood test is to identify the hemolytic reactions in transfusion, providing optimal period of erythrocytes in transfusion, to prevent failure of subsequent blood transfusions and prevent neonatal isoerythrolysis [2].

### CONCLUSION

The conclusion of this result were that a total of 60% female domestic cats had blood type A and 40% blood type B. A total of 70% male domestic cats had blood type A and 30% blood type B. A total of 70% male Persian cats had blood type A and 30% blood type B. A total of 60% female Persian cats had blood type A and 40% blood type B. The Cross match blood test between male domestic cats and male Persian cats revealed 50% match and 50% did not match, while between female domestic cats and female Persian cat, 70% match and 30% did not match.

### Acknowledgement

The authors would like to express their gratitude to the Rector, Research and Public services and Directorate General of Higher Education, Indonesian Ministry of Research and Technology (Kemendiknas), for funding a research college cooperation (PEKERTI) 2017.

### REFERENCES

1. Giger, U, 1992. Feline transfusion medicine. *Probl. Vet. Med.*,4(4):600-611.
2. Wardrop, K.J, 2010. Clinical blood typing and crossmatching. In: Schalm's. *Veterinary Hematology*. 6th ed. Wiley-Blackwell ;,pp.1101-1104.
3. Stockham, S.L., M.A. Scott, 2002. *Fundamental of veterinary clinical pathology*. 1<sup>st</sup> ed. USA : IOWA State Press;
4. Jain, N.C, 1993. *Essential of veterinary hematology*. Philadelphia : Lea & Febiger;
5. Mitruka, B.M., H.M. Ranswley, 1977. Clinical biochemical and haematological reference value in normal experimental animals. USA : Mason Publishing Inc. New york;pp 82-109.
6. Guyton and Hall, 1992. *Medical Physiology*. 9th ed. Jakarta. Medical book publishers EGC.
7. Holmes, R, 1950. Blood groups in cats . *J Physiol.*,111(3-4): 61P.
8. Giger, U., C.G. Kilrain., and L.J. Filippich, 1989. Frequencies of feline blood groups in the United States . *J Am Vet Med Assoc.*, 195:1230-1232.
9. Knottenbelt, C.M, 2002. The feline AB blood group system and its importance in transfusion medicine. *J. Feline Med. Surgery.*,4:69-76.
10. Giger, U., J.Bucheler., D.F. Patterson, 1991. Frequency and inheritance of A and B blood types in feline breeds of the United States. *J. Hered.*,82(1):15-20.
11. Knottenbelt, C.M., D.D. Addie., M.J. Day., A.J. Mackin, 1999. Determination of the prevalence of feline blood types in the UK. *J. Small Anim. Pract.*,40(3):115-118.
12. Griot-Wenk M., P.Pahlsson., A.Chisholm-Chait., P.F. Spitalnik., S.L. Spitalnik., U.Giger, 1993. Biochemical characterization of the feline AB blood group system. *Anim. Genet.*,24(6):401-407.
13. Andrews, G.A., P.S. Chavey, J.E. Smith, 1992. N - Glycolylneuraminic acid and N - acetylneuraminic acid define feline blood group A and B antigens. *Blood.*,79 : 2485 – 2491.
14. Knottenbelt, C.M, 2002. The feline AB blood group system and its importance in transfusion medicine.*J. Feline Med. Surgery.*,4:69-76.
15. Callan, M.B, 2010. Red Blood Cell Transfusion in the Dog and Cat. In: Schalm's. *Veterinary Hematology*. 6th ed. Wiley-Blackwell.. pp 738-743.
16. Giger, U, 1992. Feline transfusion medicine. *Probl. Vet. Med.*,4(4):600-611.
17. Gunanti., D. Endrawati, H.R. Supriadi, R. Siswandi, S. Agungpriyono, 2013. Identification of blood type and possibly its relation to hair color on domestic cat (*Felis familiaris*). *Jurnal Kedokteran Hewan.*,7: 61-64.

# INSTRUCTION TO AUTHORS

## Manuscript Submission:

Send your manuscript with attachment by mailing it to [info@textroad.com](mailto:info@textroad.com), [textroadjournals@gmail.com](mailto:textroadjournals@gmail.com) along with [covering letter](#).

## Manuscript Preparation:

- \* Title
- \* Author names and addresses
- \* Abstracts (Not more than 300 words)
- \* Key words
- \* Introduction
- \* Materials and Methods
- \* Results and Discussions
- \* References (Use numbering in the text instead of full references).  
Give full references at the end of the file
- \* Photographs should be of high quality (Minimum 300-600 dpi)
- \* Graphs should be in clearly visible form so that it may become easy to redraw
- \* The manuscript must be submitted in MS-WORD file format.

## INSTRUCTIONS TO AUTHORS

### Submission

Submit manuscripts as e-mail attachment to the Editorial Office at:

[textroadjournals@gmail.com](mailto:textroadjournals@gmail.com) or [info@textroad.com](mailto:info@textroad.com) along with [covering letter](#). A manuscript number will be mailed to the corresponding author same day or within 48 hours. The authors may also suggest two to four reviewers for the manuscript (JBASR may designate other reviewers). There is no page limit. The submitting author takes responsibility for the paper during submission and peer review.

### Terms of Submission

Papers must be submitted on the understanding that they have not been published elsewhere (except in the form of an abstract or as part of a published lecture, review, or thesis) and are not currently under consideration by another journal. The submitting author is responsible for ensuring that the article's publication has been approved by all the other coauthors. All enquiries concerning the publication of accepted papers should be addressed to [editor@textroad.com](mailto:editor@textroad.com).

### Review Process

All manuscripts are reviewed by an editor and members of the Editorial Board or qualified outside reviewers. Decisions will be made as rapidly as possible, and the journal strives to return reviewers' comments to authors within one or two weeks. The editorial board will re-review manuscripts that are accepted pending revision. It is the goal of the JBASR to publish manuscripts within 4 weeks after submission.

### Style of Manuscripts

Manuscripts should be written in clear, concise and grammatically correct English (with 10 font size and Times New Roman font style) so that they are intelligible to the professional reader who is not a specialist in any particular field. Manuscripts that do not conform to these requirements and the following manuscript format may be returned to the author prior to review for correction. The entire manuscript, including references, should be typed single spaced on one side of the paper. All pages should be numbered consecutively in the bottom centre starting from the title page. The manuscript should be presented in the following order.

### Title and Authorship Information

The title should be a brief phrase (capitalize first letter of each word in the title) describing the contents of the paper. The Title Page should include the authors' full names and affiliations, the name of the corresponding author along with phone, fax and E-mail information. Present addresses of authors should appear as a footnote.

### Abstract

All manuscripts should not exceed 250-300 words and should describe the scope, hypothesis or rationale for the work and the main findings. Complete sentences, active verbs, and the abstract should be written in the past tense. Standard nomenclature should be used and abbreviations should be avoided. No literature should be cited.

### Keywords

Key words (5-7 words) should be provided below the Abstract to assist with indexing of the article. These should not duplicate key words from the title.

### Introduction

This section should include sufficient background information, provide a clear statement of the problem, the relevant literature on the subject, and the proposed approach or solution. The aims of the manuscript should be clearly stated. The introduction should not contain either findings or conclusions. It should be understandable to colleagues from a broad range of scientific disciplines.

## Materials and Methods

This should be complete enough to provide sufficient detail to allow the work to be repeated by others. However, only truly new procedures should be described in detail; previously published procedures should be cited, and important modifications of published procedures should be mentioned briefly. Capitalize trade names and include the manufacturer's name and address. Subheadings should be used. Methods in general use need not be described in detail.

## Results

Results should be presented in a logical sequence in the text, tables and figures; repetitive presentation of the same data in different forms should be avoided. The results should not contain material appropriate to the Discussion. It should be written in the past tense when describing findings in the authors' experiments. Results should be explained, but largely without referring to the literature.

## Discussion

The discussion should consider the results in relation to any hypotheses advanced in the Introduction and place the study in the context of other work. Results and Discussion sections can be combined.

## Conclusions

If an optional conclusion section is used, its content should not substantially duplicate the abstract.

## Acknowledgment

The acknowledgments of people, grants, funds, etc should be brief.

## References

Bibliographic references in the text appear like [1, 2, 5, 6], using square brace in superscript. References should be numbered consecutively, with style:

### Journal paper:

1. Hadjibabaie, M., N. Rastkari, A.Rezaie and M. Abdollahi, 2005. The Adverse Drug Reaction in the Gastrointestinal Tract: An Overview. Intl. J. Pharmacol., 1 (1): 1-8.

### Books:

1. Daniel A. Potter, 2002. Destructive turfgrass insects: Biology, diagnosis and control. Wiley Canada Publishers, pp: 24-67.

### Chapters in Book:

1. Bray R.A., 1994. The leucaena psyllid. In: Forage Tree Legumes in Tropical Agriculture (eds R.C. Gutteridge and H.M. Shelton) pp. 283–291. CAB International, Oxford.

Titles of journals should be given in full. 'In press' can only be used to cite manuscripts actually accepted for publication in a journal. Citations such as 'manuscript in preparation' or 'manuscript submitted' are not permitted. Data from such manuscripts can only be mentioned in the text as 'unpublished data'.

### A Report:

1. Makarewicz, J.C., T. Lewis and P. Bertram, 1995. Epilimnetic phytoplankton and zooplankton biomass and species composition in Lake Michigan, 1983-1992. U.S. EPA Great Lakes National Program, Chicago, IL. EPA 905-R-95-009.

### Conference Proceedings:

1. Stock, A., 2004. Signal Transduction in Bacteria. In the Proceedings of the 2004 Markey Scholars Conference, pp: 80-89.

### A Thesis:

1. Strunk, J.L., 1991. The extraction of mercury from sediment and the geochemical partitioning of mercury in sediments from Lake Superior, M. S. thesis, Michigan State Univ., East Lansing, MI.

## Tables and Equations

Tables and equations should not be submitted in a format exceeding the A4 page size (in portrait form). **All tables should be embedded within the manuscript, and must be captioned and numbered sequentially.** Each table should be on a separate page, numbered consecutively in Arabic numerals and supplied with a heading and a legend. Tables should be self-explanatory without reference to the text.

## Figures / Illustrations / Photographs

Graphics should be supplied as high resolution (at least 300-600 dp.i.) electronic files. Digital images supplied only as low-resolution print-outs cannot be used. Graphs, diagrams, chromatograms, photos, etc. should be prepared as clear, original positives, suitable for reproduction. **All figures should be embedded within the manuscript, and must be captioned and numbered sequentially.**

## Proofs

Proofs will be sent via e-mail as an Acrobat PDF file (e-mail attachment) and should be returned within 3 days of receipt. Page proofs are considered to be the final version of the manuscript. With the exception of typographical or minor clerical errors, no changes will be made in the manuscript at the proof stage.

## Check List

We recommend that you ask a colleague to read over your paper prior to submission to ensure it is of a high standard and conforms to a high level of scientific writing.

Before submission of your manuscript, please check that:

- All references cited in the text are included in the reference section.
- All figures and tables are cited in the text.
- Figures are at least 300 d.p.i.
- The pages are numbered.



[Home](#)

[Journals](#)

[Instructions to Authors](#)

[Manuscript Submission](#)

[Join Us](#)

[Contact Us](#)

|  |   |   |  |
|--|---|---|--|
|    | <b>Journal of Basic and Applied Scientific Research</b>         |    | <b>Journal of Social Sciences and Humanity Studies</b> |
|    | <b>Journal of Basic and Applied Chemistry</b>                   |    | <b>Journal of Basic Sciences and Applied Research</b>  |
|   | <b>Journal of Applied Environmental and Biological Sciences</b> |   | <b>Journal of Computer Sciences and Communication</b>  |
|  | <b>Journal of Pharmaceutical and Biomedical Sciences</b>        |  | <b>Journal of Engineering and Higher Technology</b>    |
|  | <b>Journal of Agriculture and Food Technology</b>               |  | <b>Current Economics and Management Research</b>       |

